Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	09/962056	US-PGPUB; USPAT	OR	OFF	2005/07/08 15:30
L2	2695	370/389.ccls.	US-PGPUB; USPAT	OR	ON	2005/07/08 15:49
L3 .	291	370/389.ccls. and (matrix or cross-connect)	US-PGPUB; USPAT	OR	ON	2005/07/08 15:49
L4	7	370/389,.ccls. and (matrix or cross-connect) and acceleration	US-PGPUB; USPAT	OR	ON	2005/07/08 15:51
L5	20	370/389,229,230.1,231,232,234, 235,236,236.1,237,254,395.4,360, 412,413,414,401,465,468,428. ccls. and (matrix or cross-connect) and acceleration	US-PGPUB; USPAT	OR	ON	2005/07/08 15:52
L6	14959	370/389,229,230.1,231,232,234, 235,236,236.1,237,254,395.4,360, 412,413,414,401,465,468,428. ccls.	US-PGPUB; USPAT	OR	ON	2005/07/08 15:52
L7	1798	l6 and (feedback or backpressure)	US-PGPUB; USPAT	OR	ON	2005/07/08 15:53
L8	297	l6 and (feedback or backpressure) and (matrix or cross-connect)	US-PGPUB; USPAT	OR	ON	2005/07/08 15:53
L9	156	I6 and (feedback or backpressure) and (matrix or cross-connect) and (rate with (chang\$3 or control\$4 or adjust\$4))	US-PGPUB; USPAT	OR	ON	2005/07/08 15:54
L10	156	I6 and (feedback or backpressure) and (matrix or cross-connect) and (rate with (chang\$3 or control\$4 or adjust\$4 or accelerat\$4))	US-PGPUB; USPAT	OR	ON	2005/07/08 15:55
L11	371	375/240.04,240.05,240.06,240. 07.ccls.	US-PGPUB; USPAT	OR	ON	2005/07/08 15:55
L12	124	375/240.04,240.05,240.06,240. 07.ccls. and (feedback or backpressure)	US-PGPUB; USPAT	OR	ON	2005/07/08 15:57
L13	3453	710/36,52,56,57,60,316.ccls.	US-PGPUB; USPAT	OR	ON	2005/07/08 15:57
L14	198	710/36,52,56,57,60,316.ccls. and rate with chang\$3	US-PGPUB; USPAT	OR	ON	2005/07/08 15:58
L15	991	710/36,52,56,57,60,316.ccls. and flow with control\$4	US-PGPUB; USPAT	OR	ON	2005/07/08 15:59
L16 :	44	710/36,52,56,57,60,316.ccls. and flow with control\$4 and (rate with calcul\$5)	US-PGPUB; USPAT	OR	ON	2005/07/08 15:58
L17	820	709/238,234,235.ccls. and flow with control\$4	US-PGPUB; USPAT	OR	ON	2005/07/08 15:59

				r	· ·	
L18	242	709/238,234,235.ccls. and flow with control\$4 and rate with control\$4	US-PGPUB; USPAT	OR	ON	2005/07/08 16:00
L19	2897	709/238,234,235.ccls.	US-PGPUB; USPAT	OR	ON	2005/07/08 16:00
S1	221	(switch or router) with input with port with output with ("cross connect" or "cross-connect")	US-PGPUB; USPAT	OR	ON	2005/07/07 09:08
S2	3902726	(@ad<="20011031" or @prad<="20011031" or @rlad<="20011031")	US-PGPUB; USPAT	OR	ON	2005/07/06 10:06
S3	173	S1 and S2	US-PGPUB; USPAT	OR	ON	2005/07/06 10:07
S4	59982	"370"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2005/07/06 10:07
S5	50	S1 and S2 and S4	US-PGPUB; USPAT	OR	ON	2005/07/06 10:10
S6	7	S1 and S2 and S4 and rate with (controll\$4 or adjust\$4)	US-PGPUB; USPAT	OR	ON	2005/07/06 10:11
S 7	682	alcatel.asn. and matrix	US-PGPUB; USPAT	OR	ON	2005/07/06 10:19
S8	9	alcatel.asn. and matrix and port with queue	US-PGPUB; USPAT	OR	ON	2005/07/06 10:32
S9	6	alcatel.asn. and matrix and acceleration	US-PGPUB; USPAT	OR	ON	2005/07/06 10:22
S10	19	alcatel.asn. and matrix and packet adj switch	US-PGPUB; USPAT	OR .	ON	2005/07/06 10:25
S11	31	alcatel.asn. and matrix and control with circuitry	US-PGPUB; USPAT	OR	ON	2005/07/06 10:25
S12	74	alcatel.asn. and acceleration	US-PGPUB; USPAT	OR	ON	2005/07/06 10:34
S13	2	alcatel.asn. and acceleration adj value	US-PGPUB; USPAT	OR	ON	2005/07/06 10:33
S14	1	alcatel.asn. and acceleration with queue	US-PGPUB; USPAT	OR	ON	2005/07/06 10:33
S15	489	S2 and S4 and queue with port and (cross-connect or matrix)	US-PGPUB; USPAT	OR	ON	2005/07/06 11:08
S16	89	S2 and S4 and queue with port same (cross-connect or matrix)	US-PGPUB; USPAT	OR	ON	2005/07/06 12:41
S17	710	S2 and S4 and ("flow control" or backpressure) and (cross-connect or matrix)	US-PGPUB; USPAT	OR ·	ON	2005/07/06 12:39
S18	2	S2 and S4 and queue with port same (cross-connect or matrix) and backpressure	US-PGPUB; USPAT	OR	ON	2005/07/06 12:42

S19	2	S2 and S4 and queue with port same (cross-connect or matrix) and ("forward force" or "backward force" or backpressure)	US-PGPUB; USPAT	OR	ON	2005/07/06 12:43
S20	65	S2 and S4 and (cross-connect or matrix) and ("forward force" or "backward force" or backpressure)	US-PGPUB; USPAT	OR	ON	2005/07/08 15:48
S21	305	S2 and S4 and ("forward force" or "backward force" or backpressure)	US-PGPUB; USPAT	OR	ON	2005/07/06 12:58
S22	305	S2 and S4 and (backpressure)	US-PGPUB; USPAT	OR	ON	2005/07/06 12:58
S23	14	S2 and S4 and ("forward force" or "backward force" or backpressure) and cross-connect	US-PGPUB; USPAT	OR	ON	2005/07/06 13:01
S24	65	S2 and S4 and ("forward force" or "backward force" or backpressure) and (cross-connect or matrix)	US-PGPUB; USPAT	OR	ON	2005/07/06 13:43
S25	432	S2 and S4 and ("round robin" or "round-robin") and (cross-connect or matrix)	US-PGPUB; USPAT	OR	ON	2005/07/06 13:43
S26	210	S2 and S4 and ("round robin" or "round-robin") and (cross-connect or matrix) and ("flow control" or backpressure)	US-PGPUB; USPAT	OR	ON	2005/07/06 13:44
S27	34	S2 and S4 and ("round robin" or "round-robin") and (cross-connect or matrix) and (backpressure)	US-PGPUB; USPAT	OR	ON	2005/07/06 15:32
S28	. 154	S2 and S4 and ("round robin" or "round-robin") and (cross-connect or matrix) and server	US-PGPUB; USPAT	OR	ON	2005/07/06 13:45
S29	60	S2 and S4 and ("round robin" or "round-robin") and (cross-connect or matrix) and server with port	US-PGPUB; USPAT	OR	ON	2005/07/06 14:07
S30	8919	370/412,413,389,235,236,468, 465.ccls.	US-PGPUB; USPAT	OR	ON	2005/07/06 13:52
S31	57	S2 and S4 and control\$4 with rate and (cross-connect or matrix) and server with port	US-PGPUB; USPAT	OR	ON	2005/07/06 14:08
S32	1484	S2 and S4 and control\$4 with rate and (cross-connect or matrix)	US-PGPUB; USPAT	OR	ON	2005/07/06 14:09
S33	198	S2 and S4 and control\$4 with rate same (cross-connect or matrix)	US-PGPUB; USPAT	OR	ON	2005/07/06 14:09
S34	47	S2 and S4 and control\$4 with rate same (cross-connect or matrix) and input with output with port	US-PGPUB; USPAT	OR	ON	2005/07/06 14:17
S35	7	S2 and S4 and change with rate same (cross-connect or matrix) and input with output with port	US-PGPUB; USPAT	OR	ON	2005/07/06 14:28

S36 .	9	S2 and S4 and chang\$3 with rate same (cross-connect or matrix) and input with output with port	US-PGPUB; USPAT	OR	ON	2005/07/06 14:17
S37	29	S2 and S4 and control\$4 with rate with change with input with output	US-PGPUB; USPAT	OR	ON	2005/07/06 15:31
S38	0	S2 and S4 and rate with each with (queue or buffer)	US-PGPUB; USPAT	OR	ON	2005/07/06 15:31
S39	128	S2 and S4 and ("round robin" or "round-robin") and (cross-connect or matrix) and (backpressure or feedback)	US-PGPUB; USPAT	OR	ON	2005/07/06 15:32
S40	599	S2 and S4 and (cycle) and (cross-connect or matrix) and (backpressure or feedback)	US-PGPUB; USPAT	OR	ON	2005/07/06 15:32
S41	8	S2 and S4 and (cycle) and (cross-connect or matrix) and (backpressure or feedback) and (calculat\$4 with transfer with rate)	US-PGPUB; USPAT	OR	ON	2005/07/06 15:37
S42	0	S2 and S4 and acceleration with input with queue with rate	US-PGPUB; USPAT	OR	ON	2005/07/06 15:37
S43	0	S2 and S4 and new with input with queue with rate with (feedback or backpressure)	US-PGPUB; USPAT	OR	ON	2005/07/06 15:38
S44	0	S2 and S4 and new with queue with rate with (feedback or backpressure)	US-PGPUB; USPAT	OR	ON	2005/07/06 15:38
S45	59	S2 and S4 and queue with rate with (feedback or backpressure)	US-PGPUB; USPAT	OR	ON	2005/07/06 16:28
S47	39	S2 and S4 and calculat\$3 with transfer with rate and (feedback or backpressure)	US-PGPUB; USPAT	OR ,	ON	2005/07/06 16:37
S48	86	S2 and S4 and period\$6 with rate with chang\$3 and (feedback or backpressure)	US-PGPUB; USPAT	OR	ON	2005/07/06 16:38
S49	18	S2 and S4 and periodically with rate with chang\$3 and (feedback or backpressure)	US-PGPUB; USPAT	OR	ON .	2005/07/06 16:59
S50	116	S2 and S4 and interconnected with packet with switch\$3 and (feedback or backpressure)	US-PGPUB; USPAT	OR	ON	2005/07/06 16:59
S51	4988	S2 and S4 and interconnect\$4with packet with switch\$3 and (feedback or backpressure)	US-PGPUB; USPAT	OR	ON	2005/07/06 16:59
S52	188	S2 and S4 and interconnect\$4 with packet with switch\$3 and (feedback or backpressure)	US-PGPUB; USPAT	OR	ON	2005/07/07 15:07
S53	860	(cross-connect) and control\$6 with rate	US-PGPUB; USPAT	OR	ON	2005/07/07 09:09

S54	3903670	(@ad<="20011031" or	US-PGPUB;	OR	ON	2005/07/07 09:09
334	3903670	@prad<= 20011031 or @prad<="20011031")	USPAT	OK		2005/07/07 09:09
S55 .	60096	"370"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2005/07/07 09:09
S56	1288	S54 and S55 and interconnect\$4 with packet with switch\$3	US-PGPUB; USPAT	OR	ON	2005/07/07 09:09
S57	342	S54 and S55 and interconnect\$4 with packet with switch\$3 and rate with control\$4	US-PGPUB; USPAT	OR	ON	2005/07/07 09:35
S58	92	S54 and S55 and interconnect\$4 with packet with switch\$3 and rate with control\$4 with (queue or buffer)	US-PGPUB; USPAT	OR	ON	2005/07/07 09:10
S59	0	S54 and S55 and plurality with packet with switches with inconnect\$3	US-PGPUB; USPAT	OR	ON	2005/07/07 14:14
S60	24	S54 and S55 and plurality near2 interconnect\$3 near2 packet near2 switch	US-PGPUB; USPAT	OR	ON	2005/07/07 09:39
S61	0	S54 and S55 and output with queue with switch with another with input	US-PGPUB; USPAT	OR	ON	2005/07/07 09:39
S62	0	S54 and S55 and output with switch with another with input	US-PGPUB; USPAT	OR	ON	2005/07/07 09:42
S63	38	S54 and S55 and control with rate with one with switch with second with switch	US-PGPUB; USPAT	OR	ON	2005/07/07 11:38
S64	733	S54 and S55 and (feedback or backpressure) with rate	US-PGPUB; USPAT	OR	ON	2005/07/07 14:04
S65	1	S54 and S55 and cycle with request with rate with queue	US-PGPUB; USPAT	OR	ON.	2005/07/07 14:01
S66	3	S54 and S55 and matrix with select\$3 with queue with (round-robin or round robin)	US-PGPUB; USPAT	OR	ON	2005/07/07 12:09
S67	0	S54 and S55 and matrix with cycle with queue with (round-robin or round robin)	US-PGPUB; USPAT	OR	ON	2005/07/07 12:09
S68	. 10	S54 and S55 and matrix with cycle with queue	US-PGPUB; USPAT	OR	ON	2005/07/07 12:09
S69	696	S54 and S55 and feedback with rate	US-PGPUB; USPAT	OR	ON	2005/07/07 14:01
S70	3	S54 and S55 and calculat\$3 with transfer with rate with (feedback or backpressure)	US-PGPUB; USPAT	OR	ON	2005/07/07 14:02
S71	57	S54 and S55 and (feedback or backpressure) with increas\$3 with rate	US-PGPUB; USPAT	OR	ON	2005/07/07 14:07

S72	29	S54 and S55 and (feedback or backpressure) with new with rate	US-PGPUB; USPAT	OR	ON	2005/07/07 14:08
S73	92	S54 and S55 and interconnected near2 switches and (cross-connect)	US-PGPUB; USPAT	OR	ON	2005/07/07 14:15
S74	220	S54 and S55 and interconnected adj router	US-PGPUB; USPAT	OR	ON	2005/07/07 14:55
S75	127	S54 and S55 and cross-connect with router	US-PGPUB; USPAT	OR	ON	2005/07/07 14:56
S76 .	49	S54 and S55 and switch with cross-connect with router	.US-PGPUB; USPAT	OR	ON	2005/07/07 15:00
S77	4	S54 and S55 and switch with router with queue with rate	US-PGPUB; USPAT	OR	ON	2005/07/07 15:01
S78	0	S54 and S55 and switch with router with queue with rate with control\$4	US-PGPUB; USPAT	OR	ON	2005/07/07 15:01
S79		S54 and S55 and multistage with packet with switch with rate with control\$4	US-PGPUB; USPAT	OR .	ON	2005/07/07 15:07
S80	0	S54 and S55 and multistage with packet with switch same rate with control\$4	US-PGPUB; USPAT	OR	ON	2005/07/07 15:08
S81	0	S54 and S55 and multistage with packet with switch same (rate with control\$4)	US-PGPUB; USPAT	OR	ON	2005/07/07 15:09
S82	93	S54 and S55 and (multi-stage or multistage) with packet with switch	US-PGPUB; USPAT	OR	ON	2005/07/07 15:09